


INDUSTRIAL RENTAL EQUIPMENT

Providing the most reliable rental equipment with a huge fleet of inventory for midstream construction & repairs.

COMMERCIAL CATALOG



**Build smarter, respond
faster, & finish stronger.
That's the mark of Tiger.**





SCAN to view the
our capabilities video



COMMERCIAL CONSTRUCTION RENTAL EQUIPMENT TABLE OF CONTENTS

TIGER MATS	4	CLEANING & WASHING UNITS & FUEL POD	24
ECOmats™	6	4K PSI Trailer Mount Hot Water Pressure Washer	25
Tiger Poly Mat	8	4K PSI Trailer Mount Hot Water Pressure Washer	
Tiger Laminate Mat	10	2 Skid (Double Trouble)	25
Tiger Traditional Wood Mat	12	Jetter Pump	25
Tiger Timber Mat	14		
GENERATORS	18	PUMPS	26
25 kVA Portable Generator	19	6" x 6" Vac-Assist Pumps (6612T)	27
45 kVA Portable Generator	19	6" x 6" Vac-Assist Pumps (6NNT) 274" x 4" Vac-Assist	
85 kVA Portable Generator	19	Pump (4NNT)	28
125 kVA Portable Generator	20	Super 6 Pump (6NHTA)	28
150 kVA Portable Generator	20	6" x 6" Self Prime Pump (6STX)	29
220 kVA Portable Generator	20	325 HP Medium Head 10" x 8" Pump (8NHTA)	29
300 kVA Portable Generator	21	DEHUMIDIFIERS	30
		2000 CFM ASCI Force Air	30
LIGHT TOWERS	22		
4,000 Watt Portable Light Tower	23		
LED Portable Light Tower	23		
528 Gallon Double Wall Fuel Pod	23		

6

UNIQUE MATTING SOLUTIONS

VE


TIGER NOV

Nobody can move mats like
distinct individual advantages to f
roads, tank farms, refineries, high l

At Tiger, we have an agnostic appr
can offer assistance in selecting th
get it to you - ASAP. Whether you v



ECOMATS™



**TIGER TRADITIONAL
WOOD MATS**

RSATILITY

W HAS **MORE** MATTING SOLUTIONS

Tiger! We now have 6 matting solutions for clients in the commercial construction industry. Each mat has it your specific needs. Our combined fleet of mats encompasses solutions for integrity pipeline work, access lines, train derailments, commercial construction, frac sand, completions sites, and many others.

Each matting solution has its own strengths and weaknesses. At Tiger Industrial Rentals, we believe in all of them and have a mat for every application. Our highly skilled team can help you choose the right mat for the right job, but if you have a preference for a specific mat, tell us what you want and we will have it for you. Whether you want composite, timber or laminated, Tiger has the mat for you. Call us today for more details.



TIGER POLY MATS



TIGER LAMINATE MATS



TIGER RIG MATS



TIGER TIMBER MATS



SAFER | DURABLE | LONG LASTING

STANDARD SPECIFICATIONS

SIZE	8' x 16'
SQ FT	128 sf
WEIGHT	3,000 lbs
MATS/ TRUCK	14/15
CONNECTING	Directly
PSI	3,910
LINEAR FT / TRUCK	112
CONSTRUCTION	HDPE+
THICKNESS	4"

The ECOMat™ stays on the job longer and saves both replacement and transport costs. Able to haul up to 15/16 ECOMats™ per load. That means fewer trips, fewer trucks, fewer drivers, a lot less fuel and a lot more savings.



MATS

ADVANTAGES

- Maximum Durability
- Extreme Life
- Very Contractor Friendly
- Fast & Easy to Lay
- Traceable with RFID Chip
- Unbeatable High PSI
- Traction
- No Nails
- No Cable Loops
- No Pinning Required
- Flame Spread Rated
- No Absorption & Won't Float
- Compact Design with Endcaps
- Repairable



ECOMATS™





TIGER POLY MAT

STRONG | HEAVY-DUTY | SAFE

STANDARD SPECIFICATIONS

SIZE	6.5' X 13'4"
SQ FT	86 sf
WEIGHT	1,095 lbs
MATS/ TRUCK	40
CONNECTING	8 Pin
PSI	600
LINEAR FT / TRUCK	260
CONSTRUCTION	HDPE+
THICKNESS	4"

The Tiger Poly Mat will not warp, rot, crack, or delaminate, and contains no unsafe chemicals. The cross-ribbed interior distributes weight across the entire panel providing a strong support structure. They are properly sized to easily ship 40 mats in standard ISO containers and flatbed trailers.

MATS

ADVANTAGES

- Long Life
- High PSI
- No Nails or Gaps
- Easy Cleaning/No Absorption
- Heavy Duty CAM Locking System
- Non-Conductive
- Excellent with Sub-Base
- Ships in Containers
- Great for a Sand Surface
- Strong Support Structure
- Inventory Control
- Flame Spread Rated



[TIGER POLY MATS]





TIGER LAMINATE MAT

LIGHTER | FASTER | LONGER LIFE

STANDARD SPECIFICATIONS

SIZE	8' X 16'
SQ FT	128 sf
WEIGHT	1,406 lbs
MATS/ TRUCK	30/32
CONNECTING	Directly
PSI	Site Specific
LINEAR FT / TRUCK	256
CONSTRUCTION	Southern Yellow Pine
THICKNESS	4.125"

At less than half the weight of a traditional bolted oak access mat, the Tiger Laminate Mat is twice as strong and 5 times stiffer. The revolutionary design has a solid top making them easy to clean and prevent the migration of site to site contamination.

MATS

ADVANTAGES

- Big Freight Advantage
- Very Economical
- No Nails
- Longer Life than Traditional Wood
- No Gaps
- No Cable Loops
- Very Contractor Friendly
- Repairable
- Maximum Durability
- Longer Life
- Superior Strength
- Sustainability
- Faster Installation



[TIGER LAMINATE MATS]



TIGER TRADITIONAL WOOD MAT

LOW COST | RIGID

STANDARD SPECIFICATIONS

SIZE	8' X 16'
SQ FT	128 sf
WEIGHT	3,000 lbs
MATS/ TRUCK	14/15
CONNECTING	Directly
PSI	N/A
LINEAR FT / TRUCK	112
CONSTRUCTION	Mixed Hardwood
THICKNESS	5.5"

Tiger Hardwood Mats are used around the world for truck mats, mud mats, construction mats, swamp mats, and ground protection. Made for concrete or general construction temporary roads.



MATS

ADVANTAGES

- Hardwood Construction
- Economical
- Low Replacement Cost
- Very Rigid
- Accepted by Contractors at Job Sites Worldwide
- All Weather Access
- Heavy-Duty with Mixed Hardwood and Oak Laminate Boards
- 3-Ply Design for Durability & Strength



[TIGER TRADITIONAL WOOD MATS]





TIGER TIMBER MAT

LOW COST | RIGID

STANDARD SPECIFICATIONS

SIZE	4' X 18'
SQ FT	72 sf
WEIGHT	2,900 lbs
MATS/ TRUCK	14/15
CONNECTING	Directly
PSI	N/A
LINEAR FT / TRUCK	56
CONSTRUCTION	Mixed Hardwood
THICKNESS	8"

Tiger Timber Mats are ideal for heavy iron equipment in construction areas. Also used for truck mats, mud mats, construction mats, swamp mats, and ground protection. Made for concrete or general construction temporary roads.



MATS

ADVANTAGES

- Made of Dense Mixed Hardwood with Lifting Rod
- Each Rod is Notched for Safety and Security
- Allows Heavy Equipment to Cross
- Various Sizes Including Custom Sizing Available



TIGER TIMBER MATS



13




TIGER INDUSTRIAL

CONSTRUCTION RENTAL PACKAGE

- 1. 8' x 16' ECOmats™
- 2. Tiger Poly Mats
- 3. Tiger Laminate Mats
- 4. Tiger Traditional Mats
- 5. Tiger Timber Mats
- 6. 25 kVA Generator
- 7. 45 kVA Generator
- 8. 85 kVA Generator
- 9. 125 kVA Generator
- 10. 150 kVA Generator
- 11. 220 kVA Generator
- 12. 300 kVA Generator
- 13. 4K Light Tower
- 14. LED Light Tower
- 15. 528 Gal Fuel Tank
- 16. 4K Pressure Washer
- 17. 4K Pressure Washer - Double Trouble
- 18. Jetter Pump
- 19. 6" Vac Assist Pump
- 20. 8" Vac Assist Pump
- 21. 6" Trash Pump
- 22. 6" Super Six Pump
- 23. 6" Self-Prime Pump
- 24. 325 HP 10" x 8" Pump
- 25. Dehumidifier

LAMINATE MATS



3

PRESSURE WASHERS



16

LIGHT TOWERS



13

TIMBER MATS



5

POLY MATS



2

13

13



1



4



12

20

15

13





GENERATORS

HIGHEST SERVICE STANDARDS QUALITY, SERVICE & URGENT RESPONSE

At Tiger Industrial, we run strict quality-control programs on all of our equipment. We meet or exceed the highest safety standards. Tiger maintains an extensive backup fleet so we are ready to respond to your every need at a moment's notice.

GENERATORS

- 25 kVA Portable Generators
- 45 kVA Portable Generators
- 85 kVA Portable Generators
- 125 kVA Portable Generators
- 150 kVA Portable Generators
- 220 kVA Portable Generators
- 300 kVA Portable Generators

OPTIONAL ACCESSORIES

- 12' X 12' Containment Berm
- 50' Extension Cord
- Auxiliary Fuel Tank
- 100 AMP Distribution Box

25 KVA PORTABLE GENERATOR

L x W x H	10' x 5' x 5'		
Standby Output	22 KW		
Prime Output	20 KW		
Weight	2,200 LBS		
Fuel Cap	42 GAL		
Run Time	30 HRS		
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	55 AMPS	Full Load	1.65 GPH
1PH 240V	27 AMPS	3/4 Load	1.3 GPH
3PH 240V	60 AMPS	1/2 Load	0.9 GPH
3PH 480V	30 AMPS		



45 KVA PORTABLE GENERATOR

L x W x H	12' x 6' x 8'		
Standby Output	37 KW		
Prime Output	36 KW		
Weight	2,940 LBS		
Fuel Cap	30 GAL		
Run Time	22 HRS		
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	100 AMPS	Full Load	3.1 GPH
1PH 240V	50 AMPS	3/4 Load	2.2 GPH
3PH 240V	108 AMPS	1/2 Load	1.6 GPH
3PH 480V	54 AMPS		



85 KVA PORTABLE GENERATOR

L x W x H	12' x 6' x 8'		
Standby Output	70 KW		
Prime Output	66 KW		
Weight	5,000 LBS		
Fuel Cap	127 GAL		
Run Time	22 HRS		
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	188 AMPS	Full Load	5.5 GPH
1PH 240V	95 AMPS	3/4 Load	3.8 GPH
3PH 240V	204 AMPS	1/2 Load	2.6 GPH
3PH 480V	102 AMPS		



125 KVA PORTABLE GENERATOR

L x W x H		12' x 6' x 8'	
Standby Output		110 KW	
Prime Output		100 KW	
Weight		6,900 LBS	
Fuel Cap		169 GAL	
Run Time		24 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	277 AMPS	Full Load	7.3 GPH
1PH 240V	139 AMPS	3/4 Load	5.7 GPH
3PH 240V	300 AMPS	1/2 Load	4.0 GPH
3PH 480V	150 AMPS		



150 KVA PORTABLE GENERATOR

L x W x H		12' x 6' x 8'	
Standby Output		132 KW	
Prime Output		120 KW	
Weight		9,278 LBS	
Fuel Cap		214 GAL	
Run Time		25 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	333 AMPS	Full Load	8.4 GPH
1PH 240V	166 AMPS	3/4 Load	6.5 GPH
3PH 240V	361 AMPS	1/2 Load	4.9 GPH
3PH 480V	180 AMPS		



220 KVA PORTABLE GENERATOR

L x W x H		16' x 6' x 8'	
Standby Output		194 KW	
Prime Output		176 KW	
Weight		6,900 LBS	
Fuel Cap		214 GAL	
Run Time		21 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	488 AMPS	Full Load	13.6 GPH
1PH 240V	244 AMPS	3/4 Load	10.4 GPH
3PH 240V	529 AMPS	1/2 Load	7.7 GPH
3PH 480V	264 AMPS		



300 KVA PORTABLE GENERATOR

L x W x H	16' x 6' x 11'		
Standby Output	264 KW		
Prime Output	240 KW		
Weight	13,000 LBS		
Fuel Cap	300 GAL		
Run Time	21 HRS		
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	667 AMPS	Full Load	15 GPH
1PH 240V	333 AMPS	3/4 Load	14 GPH
3PH 240V	722 AMPS	1/2 Load	11 GPH
3PH 480V	361 AMPS		



[GENERATORS]



LIGHTS & TANKS

LIGHT TOWERS & FUEL TANKS

BEST-IN-CLASS & BUILT TO LAST

On a commercial construction site, light and fuel are essential in getting the job done right on a tight schedule. Tiger provides the most durable and reliable rental equipment to keep your project moving day or night. With superior design and the latest technology, our portable light towers are built to perform in even the most demanding conditions. Our fleet of fuel tanks are built for optimal performance and constructed of the toughest materials to keep your machinery working for the duration of your project.

4,000 WATT PORTABLE LIGHT TOWER

L x W x H	173" x 50" x 70"
Max Height	32'
Weight	1,644 LBS
Fuel Cap	30 GAL
Run Time	48 HR
Lumens	440,000
Light Coverage	5-7 Acres
Sound Level	66 DB



LED PORTABLE LIGHT TOWER

L x W x H	716" x 98" x 348"
Weight	1,720 LBS
Fuel Cap	30 GAL
Run Time	50 HR
Lumens	542,000
Stabilizer	Four-Point Outrigger System

- SH0-HD® Lamp Fixture – 4 Metal Halide Lamps Only
- SLST™ Sequenced Light System™
- Gull-Wing Style Doors – Reaction injection molded doors providing strength and corrosion resistance
- Forklift Pockets and Lifting Eye
- 30 Gallon Polyethylene Fuel Tank
- Four-Point Outrigger System
- GPS Ready
- 59° Fixture Rotation
- 55 MPH Operating Wind Speed Rating



[LIGHT TOWERS & FUEL TANKS]

528 GALLON DOUBLE WALL FUEL POD

L x W x H	87" x 46" x 52"
Containment	110% Secondary Containment
Capacity	1,825 LBS Empty/5,574 LBS Full

- Internal Baffles
- Secure Hose Access
- Full Load Lifting Eyes
- Tie Down Points
- Direct to Machinery Fuel Ports

OPTIONAL ACCESSORIES

- 16' Tandem Trailer
- 110V Fuel Pump
- Fuel Pump - 12V Fuel Pump & Solar Panel



WATER JETTING



GETTING IT DONE RIGHT HIGHEST QUALITY & PERFORMANCE

When it comes to washers & cleaners, Tiger Industrial keeps a large diverse fleet of pressure washers and steam cleaners prepped for immediate deployment.

Our team of experts will help you select the right type of equipment for the job. Additionally, we can readily verify which pieces of equipment you are currently renting, to help you better plan for upcoming projects.

STEAM CLEANERS & PRESSURE WASHERS

- 3,500 to 40,000 psi
- Air-operated screen cleaners
- Hot water up to 5,000 psi
- Diesel and electric
- Explosion-proof
- Steam generators for de-icing and de-gassing

PRESSURE WASHERS



TRAILER MOUNT HOT WATER PRESSURE WASHER OPTIONAL ACCESSORIES

- Turbo Nozzle
- Foot Pedal
- Double Trigger Gun
- 30" Hydro Mower
- 3/8" x 50' Pressure Hose
- Flex Lance
- Extension Wand

4,000 PSI TRAILER MOUNT HOT WATER PRESSURE WASHER

Skid Mount L x W x H	54" x 48" x 50"
Trailer Mount LxWxH	19' x 8' x 6'
Weight	6,500 LBS
Fuel Capacity	18 GAL
Water Capacity	325 GAL
Run Time	4 HRS
Temperature	160° Fahrenheit
Trailer Ball	2" OR 2 5/16"
GPM	6 GPM
Engine	25 HP Kubota Diesel



4,000 PSI TRAILER MOUNT HOT WATER PRESSURE WASHER 2-SKID (DOUBLE TROUBLE)

Skid Mount L x W x H	54" x 48" x 50"
Trailer Mnt L x W x H	19' x 8' x 6'
Weight	8,000 LBS
Fuel Capacity	36 GAL
Water Capacity	325 GAL
Run Time	4 HRS
Temperature	160° Fahrenheit
Trailer Ball	2" OR 2 5/16"
GPM	6 GPM
Engine	25 HP Kubota Diesel



[PRESSURE WASHERS]

JETTER PUMP

L x W x H	19' x 8' x 7'
Weight	6,500 LBS
Fuel Capacity	30 GAL
Water Capacity	500 GAL
Run Time	6 HRS
GPM	30 GPM & 60 GPM
Pressure	2,500 PSI
Hose Length	300'
Trailer Ball	2 5/16"

OPTIONAL ACCESSORIES

- Extended Length Gun
- Turbo Gun
- Additional Tip Sizes
- Wash Heights to 35'





PUMPS



TIGER DELIVERS OUR READY LINE IS UP AND READY

We keep a large diverse fleet of pumps prepped for immediate deployment. Every piece of equipment we offer is put through a rigorous maintenance regimen to ensure the highest quality and performance.


Our knowledgeable personnel will help you select the right pump for the job, and we're available around the clock to offer any support you may need.

PUMPS:

- Trash
- Water Transfer
- Vac Assist
- Diesel & Electric


6" X 6" VAC ASSIST PUMP (6612T)

Horsepower	74 HP
Fuel Tank Capacity	96 GAL
Max Flow	2750 GPM @ 75' TDH / 33 PSI
Max TDH	190' TDH/82 PSI @ 1000 GPM
BEP	2100 GPM @ 115' TDH/50 PSI




6" X 6" VAC ASSIST PUMP (6NNT)

Horsepower	74 HP
Fuel Tank Capacity	96 GAL
Max Flow	2800 GPM @ 52' TDH/23 PSI
Max TDH	140' TDH/60 PSI @ 250 GPM
BEP	1900 GPM @ 85' TDH / 37 PSI



4" X 4" VAC ASSIST PUMP (4NNT)


Horsepower	49 HP
Fuel Tank Capacity	96 GAL
Max Flow	1340 GPM @ 46' TDH/20 PSI
Max TDH	120' TDH/52 PSI @100 GPM
BEP	840 GPM @ 82' TDH / 35 PSI



[PUMPS]


SUPER 6 PUMP (6NHTA)

Horsepower	125 HP
Fuel Tank Capacity	96 GAL
Max Flow	2900 GPM @ 145' TDH / 63 PSI
Max TDH	285' TDH/124 PSI @ 250 GPM
BEP	2500 GPM @ 170' TDH/74 PSI




6" X 6" WET PRIME TRASH PUMPS (6STX)

Horsepower	74 HP
Fuel Tank Capacity	96 GAL
Max Flow	1690 GPM @ 95' TDH/41 PSI
Max TDH	160' TDH/69 PSI @ 200 GPM
BEP	1350 GPM @ 120' TDH/52 PSI



325 HP MEDIUM HEAD 10" X 8" PUMP (8NHTA)

Horsepower	325 HP
Fuel Tank Capacity	160 GAL
Max Flow	5100 GPM @ 150' TDH/65 PSI
Max TDH	350' TDH/152 PSI @ 500 GPM
BEP	3900 GPM @ 240' TDH/104 PSI



[PUMPS]



HEAVY IRON

TIGER RENTS HEAVY EQUIPMENT

SOLVING YOUR CONSTRUCTION CHALLENGES

At Tiger, we understand that high-quality, performance machinery can improve your work site's safety standards, protect your company's bottom line and streamline your operations — that's why we offer appropriate and hassle-free solutions for commercial construction requirements. We offer a line of quality heavy iron equipment — with brands widely recognized and appreciated for their ongoing commitment to manufacturing excellence and superior construction equipment solutions.

HEAVY IRON:

- 60' Manlift (Aerial Lift Equipment)
- 100K Extended Reach Forklift (Telehandlers)

600 SERIES TELESCOPIC BOOM LIFTS

PERFORMANCE

Platform Height	59 ft 8 in.
Horizontal Outreach	50 ft 2 in.
Swing	360° Continuous
Platform Capacity Restricted/Unrestricted	1,000 lb/600 lb
Platform Rotator	160° Hydraulic
Weight	22,900 lb
Max. Ground Bearing Pressure	83 psi
Drive Speed 4WD	3.8 mph
Gradeability 4WD	45%
Tilt Cut Out	5°
Axle Oscillation	8 in.
Turning Radius, Inside/Outside 2WS	9 ft 7 in./19 ft 4 in.
Turning Radius, Inside/Outside 4WS	5 ft 3 in./12 ft 8 in.

STANDARD SPECIFICATIONS

Dual Fuel Engine Ford MSG425-DF	84 hp
Diesel Engine Deutz D2.9L4 Tier 4 Final	48.8 hp
Fuel Tank Capacity	31 gal

HYDRAULIC SYSTEM

Capacity	34 gal
Auxiliary Power	12V DC

TIRES

Standard	355/55D625 Foam Filled
----------	------------------------

STANDARD FEATURES

- Oscillating Axle
- Hydraulic Platform Rotator
- 110V AC Receptacle in the Platform
- 5 Degree Tilt Alarm/Indicator Light
- Swing-Out Engine Tray
- 12V DC Auxiliary Power
- Hourmeter
- All Motion Alarm
- Proportional Controls
- Gull-Wing Hoods
- Platform Console Machine Status
- Light Panel*
- Engine Distress Warning/Shutdown—Selectable via JLG Analyzer
- Lifting/Tie Down Lugs
- Load Sensing System

ACCESSORIES & OPTIONS

- 36 x 72 in. (0.91 x 1.83 m) Platform
- Fall Arrest Platform
- Inward Swinging Gate
- Soft Touch System
- SkySense™
- Operators Tool Tray
- Tow Package
- 43.5 lb (19.7 kg) Propane Tank
- Cold Weather Start Kit1
- Hostile Environment Kit2
- Light Package
- Flashing Amber Beacon
- Arctic Package



FORKLIFT

ENGINE

Gross Power (Basic)	83 kW / 111.3 hp
Maximum Torque (Standard)	450 Nm at 1400 rpm 332 lb-ft
Bore	3.9 in
Stroke	4.3 in
Displacement	207 .5 cu in

WEIGHT

Operating Weight	27,125 lb
------------------	-----------

OPERATING SPECIFICATIONS

Rated Load Capacity	9,000 lb
Maximum Lift Height	43 ft
Maximum Forward Reach	31.4 ft
Frame Leveling	10°
Top Travel Speed	20.3 mph
Capacity at Max Height (o/r Up)	7,000 lb
Capacity at Max Height (o/r Down)	7,000 lb
Capacity at Max Reach (o/r Up)	1,100 lb
Capacity at Max Reach (o/r Down)	2,700 lb
Turning Radius over Tires	12 ft
Drawbar Pull (Loaded)	26,000 lb

HYDRAULIC SYSTEM

Variable displacement load sensing axial piston pump

- Auxiliary Hydraulic Circuit used for all attachments equipped with cylinders or other hydraulic components. Consists of valves, controls and hydraulic lines.

SERVICE REFILL CAPACITIES

Fuel Tank	318 gal
Hydraulic System	47 gal

TIRES

Standard	370/75-28 Duraforce MT
----------	------------------------

TRANSMISSION SPEEDS

Forward / Reverse	4 speed / 3 speed
-------------------	-------------------

BOOM PERFORMANCE

Boom Up / Down	13.9 sec / 10.2 sec
Tele In / Out	16.8 sec / 14.9 sec

AXLES

- Trunnion mounted planetary 55 degree steer axles.
- Integral steer cylinder.
- High bias limited slip differential on front axle.

BRAKES

- Service Brakes are inboard wet disc brakes on front and rear axles.
- Parking Brakes are spring-applied hydraulic release on front axle. Light on dash indicates when brake is on.





TIGER INDUSTRIAL
1-800-800-0047

910920
388224673



DEHUMIDIFIER

Among the most powerful units available, at 2,000 CFM this unit is changing the air in a typical 12' x 12' room well over 100 times an hour. The true HEPA filter removes airborne particles down to 0.3 micron in size with 99.97% efficiency. The airtight case made of corrosion-resistant heavy gage aluminum seals with Iron Grip neoprene material, and the door quickly opens and closes with a link lock latch. A unique custom designed 1.75 HP motor and dynamically balanced blower mounts in a tripod fashion using rubberized bushings designed to dampen vibration and minimize noise. Carefully engineered tolerances avoid motor shift, rubbing, or drag.



2000 CFM ASCI FORCE AIR	
Power	115 V, 60HZ, 13 amps
Dimensions	37.125 x 26.5 x 32.5 in.
Use Weight	140 lbs
Air Movement	1,975 (high speed) 1,000 (low speed) CFM
Primary Filter	HEPA filtration technology
Power Cord Length	25 ft. 7.62 m
Note: Replacement filters charged upon return regardless of use	

DEHUMIDIFIER





Pumps | Hoses | Road Crossings | Generators | Fuel Tanks | Light Towers | Mats | Pressure Washers | Jetter Pumps

Tiger has the **rental equipment** you need for commercial construction projects.





CONSTRUCTION RENTAL EQUIPMENT

PUMPS • GENERATORS • MATTING • BLAST RESISTANT BUILDINGS • HP CLEANING EQUIPMENT

BAYTOWN, TX
7000 Decker Drive
Baytown, TX 77520 USA

BEAUMONT, TX
1313 Gulf Street
Beaumont, TX 77701

CORPUS CHRISTI, TX
8283 Leopard St
Corpus Christi TX 78409

DILLEY, TX
12350 S IH 35
Dilley, TX 78017

VICTORIA, TX
11901 US Highway 59 North
Victoria, TX 77905

MIDLAND, TX
13014 West County Road 100
Midland, TX 79765 USA

+1 (888) 866-0047 / TigerIndustrialRentals.com